

Electronic Acknowledgement Receipt

EFS ID:	3119241
Application Number:	10784858
International Application Number:	
Confirmation Number:	9424
Title of Invention:	CELLULAR COMMUNICATIONS SYSTEM FOR PROVIDING NON-REAL TIME SUBSCRIPTION DATA AND RELATED METHODS
First Named Inventor/Applicant Name:	Jason Tyler Griffin
Customer Number:	27975
Filer:	David Scott Carus/Lisa Norberg
Filer Authorized By:	David Scott Carus
Attorney Docket Number:	ID-267 (80213)
Receipt Date:	08-APR-2008
Filing Date:	23-FEB-2004
Time Stamp:	14:11:29
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	yes
Payment Type	Credit Card
Payment was successfully received in RAM	\$ 180
RAM confirmation Number	7860
Deposit Account	
Authorized User	

File Listing:

Document Number	Document Description	File Name	File Size(Bytes) /Message Digest	Multi Part /.zip	Pages (if appl.)
-----------------	----------------------	-----------	-------------------------------------	------------------	------------------

1		IDS_4-8-08.pdf	623512	yes	14
			5a19a97d85b94d2886a80d108597729 ba4187397		
Multipart Description/PDF files in .zip description					
		Document Description	Start	End	
		Information Disclosure Statement Letter	1	3	
		Information Disclosure Statement (IDS) Filed	4	4	
		Foreign Reference	5	14	
Warnings:					
Information:					
2	Fee Worksheet (PTO-06)	fee-info.pdf	8247	no	2
			34f86cdf412310f2808d35f92d443b4d4 a1fc377		
Warnings:					
Information:					
			Total Files Size (in bytes):	631759	
<p>This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.</p> <p><u>New Applications Under 35 U.S.C. 111</u> If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.</p> <p><u>National Stage of an International Application under 35 U.S.C. 371</u> If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.</p> <p><u>New International Application Filed with the USPTO as a Receiving Office</u> If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.</p>					

MAIL STOP PATENT APPLICATION
COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450

In re Application of: **GRIFFIN**
Serial No.: **10/784,858**
Filed: **February 23, 2004**
For: **CELLULAR COMMUNICATIONS SYSTEM FOR PROVIDING
NON-REAL TIME SUBSCRIPTION DATA AND RELATED
METHODS**

Sir:


Transmitted herewith is an INFORMATION DISCLOSURE STATEMENT in the above-identified application.

1. ☐ This IDS is submitted under 37 C.F.R. § 1.97. No fee is required.
2. ☐ This IDS is submitted under 37 C.F.R. § 1.97(c). Enclosed is a check in the amount of \$ 180.00.
3. ☐ This IDS is submitted under 37 C.F.R. § 1.97(c) and (e). No fee is required.
4. ☒ This IDS is submitted under 37 C.F.R. § 1.97(d) and (e). Authorization is given to charge the credit card in the amount of \$180.00 to cover the petition fee.
5. ☒ The Commissioner is hereby authorized to charge or credit any discrepancies in fee amounts to Deposit Account No. 01-0484.
6. ☒ Please associate this application with Customer No. 27975.

***27975* 27975**

PATENT TRADEMARK OFFICE

Date: April 8, 2008


DAVID S. CARUS
Reg. No. 59,291

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:)	
GRIFFIN)	
)	
Serial No. 10/784,858)	
)	Attorney Docket No.
Confirmation No. 9424)	ID-267 (80213)
)	
Filed: FEBRUARY 23, 2004)	Examiner:
)	Michael T. Vu
For: CELLULAR COMMUNICATIONS SYSTEM)	
FOR PROVIDING NON-REAL TIME)	Art Unit: 2617
SUBSCRIPTION DATA AND RELATED)	
METHODS)	
)	

SUBMISSION OF AN INFORMATION
DISCLOSURE STATEMENT UNDER §1.97(d) and (e)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Attached is a form PTO-1449 listing a reference, which may be considered material to the examination of the above-identified application. In accordance with current USPTO procedures published 05 AUG 2003, in 1276 OG 55, copies of the U.S. patent documents cited in the form 1449A, if any, are not attached. The undersigned would be happy to provide copies of these references if requested. Copies of non-U.S. patent documents, if any, are attached.

It is requested that this reference be considered by the Examiner and officially made of record.

This request is made in accordance with the provisions of 37 CFR §1.97(d) and (e). A Notice of

Allowance has been mailed. Accordingly, Applicant, by and through his undersigned attorney, certifies pursuant to 37 CFR §1.97(e) that either:

(1) each item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of this statement, or

(2) no item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application or, to the knowledge of the person signing the certification after making reasonable inquiry, was known to any individual designated in §1.56(c) more than three months prior to the filing of the statement.

The fee of \$180.00 is being paid by credit card on EFS web. If any additional extension and/or fee is required, authorization is given to charge Deposit Account No. 01-0484.

Respectfully submitted,




DAVID S. CARUS
Reg. No. 59,291
Allen, Dyer, Doppelt,
Milbrath & Gilchrist, P.A.
255 S. Orange Avenue
Suite 1401
Post Office Box 3791
Orlando, Florida 32802-3791
407-841-2330
Attorneys for Applicant

INFORMATION DISCLOSURE STATEMENT	Atty Docket:	ID26780213
	Serial No.:	10/784,858
	Applicant:	GRIFFIN
	Filing Date:	FEBRUARY 23, 2004
	Group:	

U.S. PATENT DOCUMENTS							
Examiner Initials		Document Number	Date	Name	Class	Sub Class	Filing Date
	AA						
	AB						
	AC						
	AD						
	AE						
	AF						
	AG						
	AH						
	AI						
	AJ						
	AK						
	AL						
FOREIGN PATENT DOCUMENTS							
		Document Number	Date	Country	Class	Sub Class	Translation
	AM	1 345 377	9/17/03	EP	H04L	29/06	
	AN						
	AO						
	AP						
OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)							
	AQ						
	AR						
	AS						

EXAMINER:	DATE CONSIDERED:
------------------	-------------------------

***EXAMINER:** Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) EP 1 345 377 A1

(12) EUROPEAN PATENT APPLICATION

(43) Date of publication:
17.09.2003 Bulletin 2003/38

(51) Int Cl.7: H04L 29/06, H04L 12/56

(21) Application number: 02251801.3

(22) Date of filing: 13.03.2002

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR
Designated Extension States:
AL LT LV MK RO SI

• Reichenbach, Joerg A.
90402 Nuremberg (DE)
• Sollner, Michael
91058 Erlangen (DE)

(71) Applicant: LUCENT TECHNOLOGIES INC.
Murray Hill, New Jersey 07974-0636 (US)

(74) Representative: Sarup, David Alexander
Lucent Technologies UK Limited,
5 Mornington Road
Woodford Green, Essex IG8 0TU (GB)


(72) Inventors:
• Gruhl, Stefan
90443 Nuremberg (DE)

(54) Apparatus and method for scheduling of file transfers for wireless networks

(57) The invention relates to an apparatus and a method for scheduling information transfers between a wireless network and a fixed network. According to the invention information transfer between accessible local elements linked to a wireless network and a fixed network is scheduled by directing an information request from the local elements to an operating unit interfacing the wireless network and the fixed network, storing the

request in the operating unit and processing the request depending on the congestion in the wireless network. Thereby the processing of the request comprises operating of the request and subsequently returning the information according to the request obtained from the fixed network to the local element within the wireless network depending on the congestion of the latter. Thereby the transfers in both directions are fully managed by the operating unit.

Fig. 1



EP 1 345 377 A1

Description

[0001] The invention relates to an apparatus in accordance with claim 9 and a method according to claim 1 and claim 8 respectively. More particularly the invention addresses the problem of an efficient scheduling of file transfers from a fixed network to mobile terminals via a wireless network.

[0002] There is an increasing demand for transmission of data or data packages between users linked to various networks. Especially an increasing number of the mobile phone users intend to use wireless enabled personal digital assistants (PDA) to connect to networks like the Internet. Lacking a fixed Internet connection such a user decides to download data, e.g. music, information and the like into his PDA. In many cases the download time is not negligible, but mainly depends on the amount and format of the data to be transferred.

[0003] However, if several downloads of this kind are asked for in parallel, as a consequence thereof a full load of the radio cells of the wireless network involved may happen. This is either slowing down the transfer or stopping the transfer. In the worst case a disruption of the transfer may occur.

[0004] Today similar phenomena are already experienced during "busy-hours" for voice traffic, where a radio cell of a wireless network is fully loaded due to extensive requests for transmissions. This is likely to take place for data traffic as well. So called "busy-hour" period typically lasts for a period of several hours and typically occurs between one and three times a day.

[0005] It is a matter of fact, that during the remaining time the radio cell is not continuously loaded. Thus the present scheduling or time management of data transfers are highly ineffective, since during a major time period the remaining capacity available is not used.

[0006] However, some services require a lot of bandwidth and therefore have a strong impact on network congestion state. Such a service is a transfer of one or more files from a server in the fixed network, like an intranet or the Internet. Some of these file transfers, described as downloads by an artisan, have no tight time constraints or rather low time constraints.

[0007] In particular in a state of the art download a direct connection is established between a sender and receiver. Typically a download is performed by way of a certain file-transfer protocol (FTP). At present in a current network different data transfers are competing to use the available network resources, i.e. bandwidth. In spite of the fact, that different demands have a different priority concerning the execution time, there is no time-based transfer-management provided up to now. Although there are time critical applications like real time traffic and less critical applications such as downloads, currently the problem of time-based priority management is not addressed at all.

[0008] Also an alternative solution as establishing some quality of service (QoS) scheduling mechanisms

in order to give downloads little priority to have minimized side effects on other more important real-time traffic so far has been used. During network congestion this results in long transmission delays for those data packets not being time critical.

[0009] Finally these downloads may even be interrupted due to time-out errors in times of strong congestion. This will lead to repeated requests, which of course makes the situation even worse.

[0010] It is therefore the object of the invention to provide a mechanism to perform data transfers during a time period which guarantees a stable and reliable transfer on both networks involved.

[0011] The features of method claims 1 and 8 as well as of claim 9 serve to achieve this object.

[0012] The invention is attended by the advantage that file transfers can be performed during off-peak times without any loss of convenience. Both the telecommunications operator and the users benefit from the present invention. Advantageously the invention is also suited to utilize spare system capacity during non-busy-hours. Also the inventive apparatus and the inventive method are suited to avoid heavy congestion situations during busy-hours.

[0013] Finally the inventive concept offers a convenient download alternative for many applications where extensive but not time-critical downloads are involved.

[0014] Still a further advantage of the present invention is based on an improved reliability of the execution of requests. Inventively treated requests e.g. downloads performed at off-peak hours are less likely to suffer from interruptions.

[0015] The inventive method for scheduling information transfers between accessible local elements linked to a wireless network and a fixed network comprises the following steps. Directing information requests from the local elements to an operating unit interfacing the wireless network and the fixed network, storing the request in the operating unit and executing the request when the congestion in the wireless network is low, allowing an undisturbed transfer.

[0016] According to the invention the request can also include a time limitation for the execution. Depending on the actual execution time evaluated by the operating unit the request may either immediately be executed in a conventional way including the submission to the fixed network and transferring the obtained data directly to the mobile terminal. If the actual execution time is below the time limitation the request is executed when a low congestion of the mobile network is given, as described above. The invention also reveals an apparatus for scheduling file transfers between at least one element linked to a wireless network and at least one server unit of a fixed network. The apparatus comprises at least one receiving and at least one sending device for connecting to the wireless network and/or the fixed network, a storing device for storing a request obtained from the element linked to the wireless network and/or for storing

data obtained by the at least one receiving device from the fixed network. The apparatus also provides a monitoring device for periodically monitoring the congestion state of the wireless network. Furthermore a processing unit adapted to access data according to the request from the fixed network and to return said data to the wireless network is part of the inventive apparatus. Thereby the processing unit initiates said return in response to the signal of the monitoring device.

[0017] Advantageous developments are specified in the subclaims.

[0018] Furthermore it is possible that the step of executing the request includes directing the request to the fixed network for operation, and depending on the congestion state in the wireless network returning the information according to the request obtained from the fixed network to the wireless network.

[0019] In another method according to the invention the information obtained from the fixed network is stored in the operating unit before it will be returned to the local element in the wireless network. Due to buffering of download data in the download center interruptions during downloads from the fixed network are not directly affecting the user. Broken requests or data downloads can as well be resumed.

[0020] With advantage the incoming request from the local element can also be stored in the operating unit before it will be operated any further. Preferably the operating unit sends the request to the fixed network, when a disturbance is unlikely.

[0021] The operating unit also periodically collects information on the congestion state of the wireless network and/or location information of the local element waiting for the processed request. Furthermore it is within the inventive concept to obtain congestion information from all radio cells of the wireless network.

[0022] Another preferred embodiment of the present invention is characterized in that the information according to request obtained from the fixed network is returned to the local element when the congestion state is below a value allowing an undisturbed data transfer. This value can be preset within the operating unit.

[0023] According to the invention identification information concerning the mobile terminal is sent to the operating unit together with the request. The identification can contain an identification of the mobile terminal, a transfer protocol address for the requested data, a specification number for the request and a time-limit information data. Still further an authentication can go along with the request.

[0024] In a particularly advantageous way the transfer to the wireless network is initiated, when the congestion of the radio cells is low. According to the present invention, it is ensured that downloads as well as similar traffic without tight timing restrictions are shifted out of the busy hours.

[0025] The apparatus according to the invention is adapted for downloading of data from an intranet or the

internet to a mobile terminal in a wireless network. In a further embodiment of the present invention the operating unit can be combined with a gateway to the internet.

[0026] The invention is explained below in more detail with the aid of an exemplary embodiment in conjunction with the accompanying drawings, in which:

Figure 1 depicts an exemplary architecture of an embodiment of the present invention,

Figure 2 a communication protocol according to the present invention given as message-sequence-chart.

[0027] According to Fig. 1 a mobile terminal 1 linked to a mobile network registers with an operating unit, which is established in form of a download center (DL-c.) 2. Preferably this registration occurs together with the submission of a request, indicated by arrow a.

[0028] The registration data field preferably consists at least of the following data fields. The mobile-terminal network unique identification (ID). This may be the terminal's dynamic internet protocol (IP) address or another unique identification, as e.g. the phone number assigned to the mobile terminal. A unique identification to allow for the identification of this request in the future.

[0029] Upon receipt of the registration an entry is added to a list data structure job 4 in the DL-center 2. The entry consists of the values transported in the data field as described above.

[0030] The download center 2 stores the request in a job list 4. Then the request, which preferably is a download from a fixed network, e.g. the Internet 5 is initiated by the download center 2. Therefore the download center 2 contacts a server 6 being part of the Internet 5 by sending out a message, indicated by the arrow b.

[0031] In the following the inventive process of getting the data into the DL-center 2 will be described. The data have to be collected from a source being part of the Internet world 5. The DL-center 2 arranges a download from this source according to the request. The downloaded data file is cached locally to a storage media 7 of the download center 2.

[0032] With the present invention the following scheduling of file-transfer jobs is performed. The actual download to the mobile terminal 1 is initiated in response to the congestion situation of radio cells in the wireless network 3. This of course is under the assumption, that the actual download will be possible within the time regime according to the request. Therefore the download center 2 periodically collects the information on the location information of waiting terminals 1 and on the congestion state in the radio cells.

[0033] In accordance with the invention a waiting terminal is defined as a terminal, which has at least one request e.g. download registered which is not yet ongoing.

[0034] The congestion state might be taken for those radio cells where there are waiting users in this cell. In

a preferred embodiment of the present invention it may be taken for all radio cells of the wireless network.

[0035] To get the congestion state it is preferred to do a read access to the operations and maintenance (O&M) database, where the congestion state is available. The data also can be pushed from a software agent in the O&M to the DL-center 2. Preferably the radio cells actively notify the DL-center 2 on congestion situation themselves. By any means, there has to be a periodical update on congestion from cells. A proprietary protocol can do this. The O&M agent sends a table, which lists the congestion state in means of percent in intervals of several minutes.

[0036] When the initiate-job is called in the DL-center from the scheduler a registered job is started for transmission. Firstly the job is set to a not waiting-status.

[0037] According to the present invention the transfer to the mobile terminal, indicated by arrow c in Fig. 1 comprises the following steps. The data has to be sent to the mobile terminal 1. This may either be done by new proprietary services or by means of standard FTP. The DL-center 2 opens a connection to the mobile terminal 1 to transfer the data file stored in the DL-storage 7 to the terminal's 1 internal storage media.

[0038] When the final transfer from the DL-center 2 is invoked, this identification is used to check that this transfer has been requested and to keep local information (e.g. destination path, file name, file size, checksum).

[0039] Optionally a coded sequence how to get access to a destination address and a value specifying the time in which the download is required are available. If this cannot be achieved an error message is sent to notify this to the mobile user.

[0040] The access sequence reflects the code to access the storage medium. For most accesses there is no code required at all. If there is, it is usually by username and password. The format can be similar to access scripts for telephone dial in software. Here the script waits for an ASCII prompt for e.g. user name, then enters the given user name as given in the script. Then it parses for the password string and continues analogously.

[0041] If the access can not be encapsulated in one script-unit to make the access at a later time possible, an immediate download of the file to the cache is performed. Therefore the application has to do the access clearance process and when the stage is reached that the actual file can be accessed it is done so via the DL center 2. Therefore the file gets loaded and cached to local storage media.

[0042] With a proprietary FTP-server like agent in the terminal 1 the request identification is used to identify the download data file. The terminal 1 may use some additional means to check that the file delivered is the expected data transfer e.g. file size, checksum. After this the file is accepted and stored at the destination address in the local file system. This destination address

either defaults to some standard path, was optionally delivered with the former request or it was memorized and assigned with the request identification and is now retrieved from the mobile terminal 1.

[0043] A communication protocol of a preferred explanatory embodiment of the present invention is drafted like a Message-Sequence-Chart (MSC) notation, compare Fig. 2.

[0044] In the embodiment according to Fig. 2 the mobile terminal 1 for example requests an e-mail application. Users have subscribed to receive some advertisements by e-mail, which may contain a link to media files, as e.g. mp3 files with sample songs from new music albums or the like. The user asks for DL-center 2 for support when an attachment to a message to be downloaded is larger than for instance 100 kilobyte. A browser is also configured to automatically load the messages, but leaves the attachments on the server 6 until the user requests them. The terminal 1 can be attached to the IP-packet network with a dynamic IP-address.

[0045] The user reads a message, finds the described mp3 data interesting and decides to download it. The song is given as a hyperlink reference. Because the size of the file is larger than the value given above the application asks the user in a dialog box, if he wants to have the file loaded in the background.

[0046] For cost issues the user accepts to receive the file sometimes later. The following packet is sent by the browser to the DL-center 2. The IP-address of the DL-center 2 is announced by the telecom operator and was entered by the user into the configuration of the mail client.

[0047] The first field is a tag which tells the DL-center 2 this is a new request to store, compare arrow a in Fig. 2. The rest of the variables contain the data as explained before.

[0048] It has to be noticed, that the user got a dynamic IP-address when he logged into the system as data user. This is known to the application and therefore used to identify the mobile 1. If the IP-address can change during operation this user identification tag must be replaced by another network unique identification tag.

[0049] The download request, is posted (a) to the DL-center 2. The DL-center 2 reads the request and immediately performs the FTP request in order to utilize caching of the data, see Fig 2., FTP_DL_R and b. At some-time the download will be finished, compare FTP_D in Fig. 2. The DL-center 2 does nothing but wait for either other requests, or for an indication that the busy-hour situation is over for some radio cells of wireless network 3.

[0050] At any point in the future there is an end-of-congestion (EOC) signal from the congestion monitor 8 indicating that some cell is running idle. Because the user under consideration is currently located in this cell, the download is initiated, here depicted as FTP_data or C.

[0051] The invention is not limited to the exemplary

embodiments described, which can be modified in multifarious ways. For example it is possible to store the request from the mobile terminal but not immediately execute it. Then the request as described above will be performed directly before the transfer to the mobile is initiated.

[0052] It is evident, furthermore, that the processing unit or download center can also be part of the wireless network, acting there as central entity that registers requests and initiates them. A mobile terminal accessible by a wireless network can in the sense of the present invention also be a laptop computer, a digital camera with data transfer devices, a facsimile machine, a mobile phone or various types of PDAs. Also technically equivalent devices are within the spirit of the present invention.

[0053] Finally and to conclude, it is evident that the individual features of the invention can also be used in combinations other than those illustrated and described.

Claims

1. Method for scheduling information transfers between accessible local elements (1) linked to a wireless network (3) and a fixed network (5) comprising the following steps:
 - directing an information request from the local elements (1) to an operating unit (2) interfacing the wireless network (3) and the fixed network (5)
 - storing the request in the operating unit (2)
 - executing the request depending on a congestion state of the wireless network (3).
 2. Method according to claim 1, characterized in that the step of executing the request includes
 - directing the request to the fixed network (5) to be operated and
 - returning the information according to the request obtained from the fixed network (5) depending on the congestion state in the wireless network (3).
 3. Method according to claim 1 or 2, characterized by
 - storing the information according to the request obtained from the fixed network (5) in the operating unit (2) before returning it to the local element (1) in the wireless network (3) and/or
 - storing the request obtained from the local element (1) in the operating unit (2) before processing the request any further and/or
 - returning the information according to the request obtained from the fixed network (5) to the local element (1) when the congestion state is
- below a value allowing an undisturbed data transfer.
4. Method according to one of the preceding claims, characterized in that the operating unit (2) periodically collects information on the congestion state of the wireless network (3).
 5. Method according to one of the preceding claims, characterized in that
 - congestion information is collected from all radio cells of the wireless network (3) or
 - congestion information is gathered from radio cells of the wireless network (3), out of which request is obtained and/or
 - the operating unit (2) periodically collects location information of the local element (1) waiting for the processed request.
 6. Method according to one of the preceding claims, characterized in that
 - identification information concerning the mobile terminal (1) is sent with the request to the operating unit (2) and in that
 - the identification information contains:
 - an identification of the mobile terminal (1) and/or
 - a transfer protocol address for the requested data and/or
 - a specification number for the request and/or
 - time-limit information data and/or in that
 - the mobile terminal (1) submits an authentication.
 7. Method according to one of the preceding claims, characterized in that the operating unit (2) sends (b) an authentication to a contacting unit of the fixed network (5,6) and/or in that the request (a) includes downloading of data (b) from the fixed network (5) and transferring said data to the wireless network (3).
 8. Method for scheduling information transfers between accessible local elements (1) linked to a wireless network (3) and a fixed network (5) comprising the following steps:
 - directing an information request from the local element (1) to an operating unit (2) interfacing the wireless network (3) and the fixed network (5)
 - searching the request information data for a processing time limit value
 - comparing the processing time limit value with a time limit value preset in the operating unit (2)

- and
- directing the information request to the fixed network (5,6), operating the request and transferring the resulting data to the local element (1), when the preset time limit value exceeds the time limit value as submitted by the request or 5
 - proceeding according to the method as given by one of the preceding claims, when the preset time limit value falls below the time limit value according to the request. 10
9. Apparatus for scheduling file transfers between at least one element (1) linked to a wireless network (3) and at least one server unit (5) of a fixed network (5), said apparatus comprising: 15
- at least one receiving and at least one sending device for connecting to the wireless network (3) and/or the fixed network (5) 20
 - a storing device (4) for storing a request obtained from the element (1) linked to a wireless network (3) by the at least one receiving device (7) and/or for storing data from the fixed network (5) obtained by the at least one receiving device 25
 - a monitoring device (8) for periodically monitoring the congestion state of the wireless network (3)
 - a processing unit (2) adapted to access data according to the request from the fixed network (5) and to return said data to the wireless network (3), whereby the processing unit initiates said return in response to the signal of the monitoring device (8). 30 35
10. Apparatus according to claim 9, characterized in that
- the processing unit (2) initiates the return of said data when the monitoring device (8) detects a low congestion state of the mobile network (3) and/or in that 40
 - the element (1) includes a mobile terminal and/or in that 45
 - the apparatus includes a gateway to the fixed network (5). 50
- 55

Fig. 1





Fig. 2





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 25 1801

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	WO 00 51372 A (SCDM CORP) 31 August 2000 (2000-08-31) * abstract * * figure 1 * * page 5, line 1 - page 6, line 16 * * page 9, line 2 - page 9, line 23 * * page 10, line 12 - page 11, line 19 * * page 12, line 15 - page 13, line 14; claim 1 *	1,2,9	H04L29/06 H04L12/56
A	WO 01 71521 A (MOTOROLA INC) 27 September 2001 (2001-09-27) * the whole document *	1-10	
A	FLOYD S ET AL: "RANDOM EARLY DETECTION GATEWAYS FOR CONGESTION AVOIDANCE" IEEE / ACM TRANSACTIONS ON NETWORKING, IEEE INC. NEW YORK, US, vol. 1, no. 4, 1 August 1993 (1993-08-01), pages 397-413, XP000415363 ISSN: 1063-6692 * the whole document *	1-10	
A	US 4 642 758 A (TENG ALBERT Y) 10 February 1987 (1987-02-10) * the whole document *	1-10	
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 21 August 2002	Examiner Pereira, M
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

EP FORM 1503 (03/02) (P04001)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 25 1801

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

21-08-2002

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0051372	A	31-08-2000	WO 0051372 A1	31-08-2000
WO 0171521	A	27-09-2001	AU 4915801 A	03-10-2001
			EP 1183616 A1	06-03-2002
			WO 0171521 A1	27-09-2001
US 4642758	A	10-02-1987	NONE	

EPO FORM P0008

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82